

Particulate Matter Monitoring
St. Stephen-in-Brannel, Treviscoe, Nanpean and
St Dennis

September – November 2017

Prepared by Sarah Hodgson

Project Reference	AQM11122017
Issue Date	December 2017
Author	SC Hodgson

Client:**St. Stephen-in-Brannel Parish Council****Prepared by:****Sarah Hodgson****Air Quality Monitors Ltd****Innovation Centre****Rennes Drive****EXETER EX4 4RN****T: 0845 686 2270****www.aqmonitors.co.uk**

This report has been prepared in pursuance of a contract between Air Quality Monitors Ltd and St. Stephen-in-Brannel Parish Council. All intellectual property rights remain the property of Air Quality Monitors Ltd unless otherwise agree

Table of Contents

1.0	Introduction	4
1.1	Introduction	4
1.2	Sources of PM ₁₀ Particles	4
2.0	Policy Context	6
2.1	International Legislation and Policy.....	6
2.2	National Legislation and the UK Air Quality Strategy	6
2.3	Local Air Quality Management	6
2.4	Assessment Criteria.....	7
3.0	Assessment Methodology.....	9
3.1	Monitoring Technique	9
3.2	Monitoring Locations	9
4.0	Monitoring Results.....	11
4.1	St Stephen-in- Brannel Monitoring Site	11
4.2	Treviscoe Monitoring Site	12
4.3	Nanpean Monitoring Site.....	13
4.4	St Dennis Monitoring Site	14
4.5	Diurnal Profiles for Exceedences at Multiple Sites on the Same Day	15
5.0	Conclusions	18
	Appendix A - Air Quality Terminology.....	19
	Appendix B –PM ₁₀ Monitoring Results	20

1.0 Introduction

1.1 Introduction

Air Quality Monitors Ltd was initially commissioned by St. Stephen-in-Brannel Parish Council to review and analyse continuous PM₁₀ monitoring data from the air quality particulate monitor in the village of St. Stephen-in Brannel.

The purpose of the analysis was to establish baseline PM₁₀ air quality data in the St. Stephen area prior to the commissioning of the Energy from Waste (EfW) plant at Rostowrack Farm in St Dennis. The Parish Council intended to continue monitoring, following the commissioning of the EfW plant, in order that a comparison of the baseline conditions could be made to the operating conditions.

The monitoring site in St. Stephen-in Brannel is located approximately four kilometres to the south of the EfW plant and although neither site is within an Air Quality Management Area (AQMA), they both lie within an area that has a significant china clay industry. A two-year study undertaken by the China Clay Area Dust Monitoring Forum¹ from 2003 – 2005, indicated that the china clay industry increased ambient concentrations of PM₁₀ levels by as much as 8 µg/m³ as a daily average, depending on location and weather conditions.

St-Stephen-in-Brannel Parish Council have purchased three further AQM DM11 PM₁₀ monitors that are located in the villages of Treviscoe, Nanpean and St Dennis. The monitors in Treviscoe and Nanpean were installed during the summer of 2016 and valid data is available from the end of August 2016. The monitor in St Dennis was installed on the 12th October 2016.

Monitoring data from the AQM DM11 PM₁₀ monitor can only be used for screening assessments to identify where there is a potential for an air quality objective to be exceeded. This is due to differences in the monitoring technique and in order to determine whether an exceedance of the National Air Quality Strategy (NAQS) Air Quality Objectives has occurred, gravimetric monitoring would be required. However, the AQM DM11 is a very useful tool and provides indicative or semi quantitative results.

This report forms part of an on-going series and provides:

- The results and analysis of the PM₁₀ monitoring from 1st September to 30th November 2017 for the monitoring sites in St Stephen-in-Brannel, Treviscoe, Nanpean and St Dennis.
- Comparison of data from the four DM11s against the PM₁₀ air quality objectives.

A glossary of common air quality terminology is provided in **Appendix A**.

1.2 Sources of PM₁₀ Particles

The term PM₁₀ refers to particulate matter with a diameter of approximately 10 µm or less and represents the respirable fraction of dust. Particles of this size are not filtered out by the nose and throat and can settle deep in the lungs causing health problems.

1 The China Clay Dust Monitoring Forum (March 2007). An investigation into of the China Clay Industry's Impact on PM₁₀ in Cornwall.

The health effects of particle pollution have been widely studied, and include premature death, worsening of lung and heart disease, often increasing admissions to hospital. ²

PM_{10s} are made up of a wide range of materials and arise from a variety of sources, both man-made and natural. It is generally accepted that PM₁₀ concentrations fall into two main categories:

- Primary particles include mobile sources i.e. road transport and stationary sources such as the burning of fuels for industrial, commercial and domestic purposes. Emissions of dust can also generate high concentrations of PM₁₀ close to quarries and construction sites. Natural sources include sea spray and dust from the Saharan desert travelling vast distances.
- Secondary particulate matter is formed from chemical reactions of the gases ammonia (NH₃), sulphur dioxide (SO₂) and nitrogen oxides (NO_x) in the atmosphere to form ammonium sulphates and ammonium nitrates. NH₃ is emitted mainly from agricultural sources, particularly livestock waste. SO₂ is formed by combustion of sulphur containing fuels such as coal. NO_x is formed by combustion of fuels used in power generation, domestic heating and traffic. Secondary particulate matter is also formed from organic compounds by reactions that occur in the atmosphere.

² World Health Organization (2013). Review of evidence on health aspects of air pollution REVIHAAP Project. Air Quality Expert Group (2005). Particulate Matter in the UK: Summary. Defra, London.
Royal College of Physicians & Royal College of Paediatrics and Child Health (2016). Every Breath we take. The lifelong Impact of Air Pollution. London.

2.0 Policy Context

2.1 International Legislation and Policy

The EU Directive 2008/50/EC³ on ambient air quality and cleaner air for Europe (the CAFE directive) sets out a series of limit values for the protection of human health and critical levels for the protection of vegetation. Compliance with the EU Limit Values is mandatory for all EU members and the UK may incur infringement action if it does not meet the required objective limits within the agreed time limits. The UK is currently exceeding the objective limits for NO₂ and PM₁₀ within London and a number of other areas within the UK. The Air Quality Standards Regulations 2010⁴ implements the requirements of the Directive into UK legislation.

2.2 National Legislation and the UK Air Quality Strategy

The National Air Quality Strategy (NAQS) for England, Scotland, Wales and Northern Ireland⁵ published in July 2007, is part of the Government's overall strategy to improve the quality of life for people in the UK. The NAQS contains policies for the assessment of UK air quality and implementation of European Union and International agreements. The NAQS sets out air quality objectives and dates for achievement for nine airborne pollutants, which are designed to protect human health and the environment.

The National Air Quality Objectives (NAQOs) apply to external air where there is relevant exposure to the public over the associated averaging periods within each objective. Guidance is provided within Local Air Quality Management Technical Guidance 2016 (LAQM.TG (16))⁶ issued by DEFRA for Local Authorities on where the NAQOs apply, as detailed in **Table 2.1**. The objectives do not apply in workplace locations, to internal air or where people are unlikely to be regularly exposed (i.e. centre of roadways).

It should be noted that the EU Limit Values are numerically the same as the NAQO values but differ in terms of compliance dates. The compliance date for the PM₁₀ Limit Values is 1st January 2005. The EU Limit Values are also mandatory, whereas the NAQOs are policy objectives. Local authorities are not required to achieve them, but to work towards their achievement.

The strategy also sets out the roles that Government, industry, the Environment Agency, local government, business, individuals and transport have in protecting and improving air quality.

2.3 Local Air Quality Management

Local authorities are seen to play a particularly important role in local air quality management. Section 82 of the Environment Act 1995 requires every local authority to conduct a review of the air quality from time to time within the authority's area. The recently released DEFFA technical guidance, LAQM.TG(16), describes a new streamlined approach to the Local Air Quality Management (LAQM) regime, whereby every authority has to undertake and submit a single Annual Status Report/Annual Progress Report within its area, to identify whether the objectives have been or will be achieved at relevant locations by the applicable date. If the objectives are not being met, the authority must declare an Air Quality Management Area (section 83 of the Act) and prepare an

³ Directive 2008/50/EC of the European Parliament and of the Council of 21 May 2008 on ambient air quality and cleaner air for Europe

⁴ Air Quality Regulations 2010 – Statutory Instrument 2010 No. 1001

⁵ Defra (2007). The Air Quality Strategy for England, Scotland, Wales and Northern Ireland.

⁶ DEFRA (2016) Local Air Quality Management. Technical Guidance LAQM.TG(16)

action plan (section 84) which identifies measures that will be introduced in pursuit of the objectives.

Table 2.1: Locations Where Air Quality Objectives Apply		
Averaging Period	Objectives should apply at:	Objectives should generally not apply at:
Annual Mean	All locations where members of the public might be regularly exposed. Building façades of residential properties, schools, hospitals, care homes etc.	Building façades of offices or other places of work where members of the public do not have regular access. Hotels, unless people live there as their permanent residence Gardens of residential properties. Kerbside sites (as opposed to locations at the building facade), or any other location where public exposure is expected to be short term.
24 Hour Mean	All locations where the annual mean objective would apply together with hotels. Gardens of residential properties.	Kerbside sites (as opposed to locations at the building facade), or any other location where public exposure is expected to be short term.

2.4 Assessment Criteria

To protect our health, the Government has set air quality standards and objectives for PM₁₀. The air quality standards are concentrations below which risks to public health are considered unlikely or exceedingly small. They are based on scientific and medical evidence reviewed by the Expert Panel on Air Quality Standards (EPAQS) and the World Health Organisation (WHO).

The objective is the target date on which exceedences of a standard are expected to be achieved by the Government. They take account of economic efficiency, practicability, technical feasibility and timescale. There are two air quality objectives for PM₁₀:

- The 24-hour (daily) mean objective, which is the concentration of PM₁₀ in the air averaged over 24 hours, is designed to ensure that the public are not exposed to high concentrations of PM₁₀ for short periods. This objective applies at building façades and gardens of residential properties, schools, hospitals, care homes and hotels;
- The annual objective, which is the concentration of PM₁₀ in the air averaged over one year, aims to protect the public from PM₁₀ over a long-time period. This objective applies at all locations detailed above except gardens and hotels, unless people live there as their permanent address.

The relevant assessment criteria for this report are provided in **Table 2.2**.

Table 2.2: Relevant Objectives set out in the Air Quality Strategy			
Pollutant	Concentrations	Measured As	Date to be Achieved By
Particulate Matter PM ₁₀	50 µgm ⁻³ not to be exceeded more than 35 times per year	24-hour mean	31.12.2004
	40 µgm ⁻³	Annual mean	31.12.2004

For the 24-hour (daily) mean objective, an agreed number of exceedences are permitted. This allows for events such as Bonfire Night, where it is not possible or practicable to expect 24-hourly mean concentrations to remain within the agreed limit.

3.0 Assessment Methodology

3.1 Monitoring Technique

Continuous monitoring of particles can be undertaken using many different types of monitor. For this study four AQM DM11 airborne particulate monitors supplied by Air Quality Monitors were used. The real time AQM DM11 monitors measure PM₁₀ using a light scattering technique, similar to the Turnkey Osiris monitor. Light scattering instruments work on the principle that there is a relationship between the scattering of light that reaches the particle and particle size. A pump continuously draws an air sample through a nephelometer which sizes the individual particles as they pass through a beam. The particles are then collected on a filter to allow further analysis if necessary. The data is accessed remotely via a modem allowing it to be downloaded at frequent intervals.

The AQM DM11 monitors are serviced on an annual basis by Air Quality Monitors. The instrument was also granted Mcerts approval in February 2014. Light scattering instruments are ideal for screening surveys and provide indicative or semi quantitative results.

Wind data was supplied by the anemometers attached to the AQM DM11's at the monitoring sites located in St Stephen-in-Brannel, Treviscoe, Nanpean and St Dennis.

3.2 Monitoring Locations

St. Stephen-in-Brannel is a small village in mid Cornwall and lies approximately 9 km west of St Austell on the southern edge of Cornwall's china clay industry. The EfW site is located approximately 4 km to the north of the village. The AQM DM11 monitor is located on the roof of the Saint Stephen-in Brannel Parish Council Building.

Treviscoe lies approximately 1km to the southwest of the EfW site. The monitor is located within the grounds of Nuco Training Ltd offices in Central Treviscoe.

Nanpean is a small village on the B3279 road, approximately 6.5 km northwest of St Austell in the heart of the china clay industry in mid Cornwall. The monitor lies approximately 2.2 km to the southeast of the EfW site and is located within the cemetery of St Georges Mission Church in Nanpean.

St Dennis is a civil parish and village in Cornwall situated on the B3279 between Newquay and St Austell. The monitor lies approximately 1km northeast of the EfW site and is located within St Dennis Cemetery off Hall Road.

The position of the monitoring locations in relation to the EfW site are presented in **Figure 3.1**.




Figure 3.1: Monitoring Locations

4.0 Monitoring Results

4.1 St Stephen-in- Brannel Monitoring Site

Results for Period 1st September 2017 to 30th November 2017


A summary of the results for the monitoring period 1st September to 30th November 2017 are presented in **Table 4.1**.

The 24-hour (daily) mean concentrations are presented in **Appendix B** in tabular format.

Table 4.1: Summary of Monitoring Results for Period 1st September to 30th November 2017 St Stephen-in-Brannel	
Statistic	St. Stephen Parish Council Offices
Monitoring Period	1 st September to 30 th November 2017
No. of Days	91
Data Capture (%)	98.2
Period Mean PM ₁₀ Concentration (µg/m ³)	13.3
Maximum 15- Min Mean PM ₁₀ Concentration (µg/m ³)	119.1
No of Days > 50 µg/m ³ (35 allowed a year)	0
Maximum 24-Hour Mean PM ₁₀ Concentration (µg/m ³)	23.7

The PM₁₀ mean for the three-month monitoring period was 13.3 µg/m³ (**Table 4.1**) which is well below the NAQS annual mean objective of 40 µg/m³. The results also indicate no exceedences of the 24-hour (daily) mean objective for PM₁₀ during the three months of monitoring. The maximum recorded 24-hour (daily) PM₁₀ concentration was 23.7 µg/m³, recorded on the 15th October 2017 (**Graph 1**). Data capture for the monitoring period was very good at 98.2 %. A data capture rate of 85% for ratified data is specified in the relevant DEFRA Technical Guidance and is recommended as a target for PM₁₀ monitoring⁷.

7 DEFRA Local Air Quality Management Technical Guidance 2016 LAQM.TG (16)



Graph 1: Daily Mean PM₁₀ Concentrations 1st September to 30th November 2017 St Stephen-in-Brannel

4.2 Treviscoe Monitoring Site

Results for Period 1st September 2017 to 30th November 2017


A summary of the results for the monitoring period 1st September to 30th November 2017 are presented in **Table 4.2**.

The 24-hour (daily) mean concentrations are presented in **Appendix B** in tabular format.

Table 4.2: Summary of Monitoring Results for Period 1st September to 30th November 2017 Treviscoe	
Statistic	Treviscoe
Monitoring Period	1 st September to 30 th November 2017
No. of Days	91
Data Capture (%)	99.5
Period Mean PM ₁₀ Concentration (µg/m ³)	22.0
Maximum 15- Min Mean PM ₁₀ Concentration (µg/m ³)	1252.4
No of Days > 50 µg/m ³ (35 allowed a year)	3
Maximum 24-Hour Mean PM ₁₀ Concentration (µg/m ³)	99.7

The PM₁₀ mean for the three-month monitoring period was 22.0 µg/m³ (**Table 4.2**), which is well below the NAQS annual mean objective of 40 µg/m³. The results also indicate that there were 3 exceedences of the 24-hour (daily) mean PM₁₀ objective during the monitoring period out of a permitted 35 exceedences. These exceedences occurred on the 15th October, 16th October and 3rd November 2017.

The maximum recorded daily PM₁₀ concentration was 99.7µg/m³ recorded on Friday 3rd November 2017 (**Graph 2**). Data capture for the monitoring period was good at over 99.3 %.



Graph 2: Daily Mean PM₁₀ Concentrations 1st September to 30th November 2017 Treviscoe

The diurnal profile for the 3rd November 2017, which indicates the highest 24-hour (daily) PM₁₀ concentration of 99.7µg/m³ is presented in **Graph 6**.

4.3 Nanpean Monitoring Site


Results for Period 1st September 2017 to 30th November 2017

A summary of the results for the monitoring period 1st September to 30th November 2017 are presented in **Table 4.3**. The 24-hour (daily) mean concentrations are presented in **Appendix B** in tabular format.

Table 4.3: Summary of Monitoring Results for Period 1st September to 30th November 2017 Nanpean	
Statistic	Nanpean
Monitoring Period	1 st September to 30 th November 2017
No. of Days	91
Data Capture (%)	98.8
Period Mean PM ₁₀ Concentration (µg/m ³)	32.1
Maximum 15- Min Mean PM ₁₀ Concentration (µg/m ³)	2457.4
No of Days > 50 µg/m ³ (35 allowed a year)	12
Maximum 24-Hour Mean PM ₁₀ Concentration (µg/m ³)	221.4

The PM₁₀ mean for the monitoring period was 32.1µg/m³ which is below the NAQS annual mean objective of 40 µg/m³. The results also indicate 12 exceedences of the 24-hour (daily) mean PM₁₀ objective during the monitoring period out of a permitted 35 exceedences. These exceedences occurred on the following days:

- 6th September 2017
- 2nd, 15th, 16th, 17th, 18th and 21st October 2017; and
- 1st, 2nd, 3rd, 17th and 22nd November 2017.



Graph 3: Daily Mean PM₁₀ Concentrations 1st September to 30th November 2017 Nanpean

The maximum recorded 24-hour (daily) PM₁₀ concentration was 221.4µg/m³ recorded on the 17th November 2017 (**Graph 3**). Data capture for the monitoring period was very good at 98.8 %.

4.4 St Dennis Monitoring Site

Results for Period 1st September 2017 to 30th November 2017


A summary of the results for the monitoring period 1st September to 30th November 2017 are presented in **Table 4.4**.

The daily (24-hourly) mean concentrations are presented in **Appendix B** in tabular format.

Statistic	St Dennis
Monitoring Period	1 st September to 30 th November 2017
No. of Days	91
Data Capture (%)	98.9
Period Mean PM ₁₀ Concentration (µg/m ³)	16.1

Maximum 15- Min Mean PM ₁₀ Concentration ($\mu\text{g}/\text{m}^3$)	167.4
No of Days > 50 $\mu\text{g}/\text{m}^3$ (35 allowed a year)	0
Maximum 24-Hour Mean PM ₁₀ Concentration ($\mu\text{g}/\text{m}^3$)	48.4

The PM₁₀ period mean for the monitoring period was 16.1 $\mu\text{g}/\text{m}^3$ which is well below the NAQS annual mean objective of 40 $\mu\text{g}/\text{m}^3$. There were no recorded exceedences of the 24-hour (daily) mean objective for PM₁₀ during the three months of monitoring (**Graph 4**).



Graph 4: Daily Mean PM₁₀ Concentrations 1st September to 30th November 2017 St Dennis

The maximum recorded daily PM₁₀ concentration was 48.4 $\mu\text{g}/\text{m}^3$ recorded on Monday 16th October 2017 (**Graph 4**). Data capture for the monitoring period was 98.9%.


4.5 Diurnal Profiles for Exceedences at Multiple Sites on the Same Day

Throughout the monitoring period, exceedences of the 24-hour (daily) PM₁₀ objective occurred at more than one monitoring site on the same day. These are detailed in **Table 4.5**.

Date	24 Hour (Daily) PM ₁₀ Concentration ($\mu\text{g}/\text{m}^3$)		Wind Direction Treviscoe	Wind Direction Nanpean
	Treviscoe	Nanpean		
15 th October 2017	55.3	80.5	SSW	SSE
16 th October 2017	58.7	90.2	SSW	S
3 rd November 2017	99.7	68.3	N	SE

15th and 16th October 2017


Graph 5 indicates that the 15-minute mean PM₁₀ concentrations at the Treviscoe and Nanpean monitoring sites followed a similar trend over the two days. The wind direction (**Table 4.5**) recorded at Treviscoe, was predominantly from the south southwest on the 15th and 16th October 2017 and the wind direction at Nanpean ranged from the south southeast to the south over the two days. Areas most consistently affected by dust/PM₁₀ are influenced by prevailing winds that are generally located downwind of an emissions source. Therefore, the highest risks would have occurred at receptors to north northeast, north northwest and north of the EfW site. The wind speed recorded at the monitoring sites from the 15th to 16th October 2017 ranged from 0.02 to 8.78 m/s.



Graph 5: Diurnal PM₁₀ Concentrations at Treviscoe and Nanpean 15th and 16th October 2017

3rd November 2017

Graph 6 indicates that the 15-minute mean PM₁₀ concentrations at the monitoring sites in Treviscoe and Nanpean followed a similar trend throughout the day, with localised peaks in concentrations at Treviscoe at approximately 18:45 and 21:15 hours. The anemometers at the monitoring sites indicated that the prevailing wind direction (**Table 4.5**) on the 3rd November was from the north at Treviscoe and from the south east at Nanpean. The wind speed recorded at the monitoring sites on the 3rd November 2017 ranged from 0.03 to 3.79 m/s.



Graph 6: Diurnal PM₁₀ Concentrations at Treviscoe and Nanpean 3rd November 2017

5.0 Conclusions

Air Quality Monitors Ltd was commissioned by St. Stephen-in-Brannel Parish Council to review and analyse continuous PM₁₀ monitoring data from the air quality particulate monitors in the villages of St. Stephen-in-Brannel, Treviscoe, Nanpean and St Dennis.

St Stephen-in-Brannel Monitoring Site

The PM₁₀ monitoring for the 1st September to the end of November 2017, indicated that the values did not exceed the NAQS annual mean objective at the monitoring site in St Stephen-in-Brannel. There were no recorded exceedences of the 24-hour NAQO of 50 µg/m³.

Treviscoe Monitoring Site

The PM₁₀ monitoring from the 1st September to the end of November 2017 at the Treviscoe monitoring site, indicated that the values did not exceed the NAQS annual mean objective level of 40µg/m³, whilst the 24-hour mean objective was exceeded on 3 occasions. The NAQS objectives are based on monitoring for a full calendar year, and the number of permitted exceedences of the 50µg/m³ 24-hour (daily) PM₁₀ objective is 35 over the year. To date the DM11 is indicating 29 exceedences of the 24-hour mean objective, out of a permitted 35 exceedences, over the first eleven months of the year.

As discussed previously (section 1.1), the DM11 instruments only provide indicative results when compared against the annual PM₁₀ or 24-hour (daily) objective as they are not accurate enough to meet the expanded uncertainty requirements of equivalent gravimetric instruments. This is predominantly due to the differences in the monitoring technique. However, they are extremely useful for screening monitoring.

Nanpean Monitoring Site

The PM₁₀ monitoring from the 1st September to the end of November 2017 at the Nanpean monitoring site indicated that the values were below the NAQS annual mean objective level of 40µg/m³, whilst the 24-hour mean objective was exceeded on 12 occasions. To date the DM11 is indicating 32 exceedences of the 24-hour mean objective, out of a permitted 35 exceedences, over the first eleven months of the year.

St Dennis Monitoring Site

The PM₁₀ monitoring from the 1st September to the end of November 2017 at the St Dennis monitoring station, indicated that the values did not exceed the NAQS annual mean objective, and there were no exceedences of the 24-hour mean objective during the three months of monitoring. To date the DM11 is indicating 14 exceedences of the 24-hour mean objective over the first eleven months of the year.

According to the Cornwall Council website⁸, CERC formerly started its operational phase on the 23rd March 2017, having completed its construction and testing phases.

The next quarterly report is due in March 2018.

8 Cornwall County Council <https://www.cornwall.gov.uk/environment-and-planning/recycling-rubbish-and-waste/the-cornwall-energy-recovery-centre-cerc/>

Appendix A - Air Quality Terminology

Term	Definition
Air quality objective	Policy target generally expressed as a maximum ambient concentration to be achieved, either without exception or with a permitted number of exceedences within a specific timescale (see also air quality standard).
Air quality standard	The concentrations of pollutants in the atmosphere which can broadly be taken to achieve a certain level of environmental quality. The standards are based on the assessment of the effects of each pollutant on human health including the effects on sensitive sub groups (see also air quality objective).
Ambient air	Outdoor air in the troposphere, excluding workplace air.
Annual mean	The average (mean) of the concentrations measured for each pollutant for one year. Usually this is for a calendar year, but some species are reported for the period April to March, known as a pollution year. This period avoids splitting winter season between 2 years, which is useful for pollutants that have higher concentrations during the winter months.
AQMA	Air Quality Management Area.
DEFRA	Department for Environment, Food and Rural Affairs.
EPAQS	Expert Panel on Air Quality Standards
Exceedence	A period of time where the concentrations of a pollutant is greater than, or equal to, the appropriate air quality standard.
Fugitive emissions	Emissions arising from the passage of vehicles that do not arise from the exhaust system.
LAQM	Local Air Quality Management.
MCERTS	This is the Environment Agency of England and Wales (EA) Monitoring Certification Scheme. Compliance with MCERTS gives the EA confidence in the monitoring of emissions to the environment.
PM₁₀	Particulate matter with an aerodynamic diameter of less than 10 micrometres.
WHO	World Health Organisation
µgm⁻³ micrograms per cubic metre	A measure of concentration in terms of mass per unit volume. A concentration of 1µg/m ³ means that one cubic metre of air contains one microgram (millionth of a gram) of pollutant.

Appendix B –PM₁₀ Monitoring Results

DM11 Results

Appendix A: 24-Hour (Daily) Mean µg/m ³					
Date	Day of Week	Location 1 (St Stephen in Brannel)	Location 2 (Treviscoe)	Location 3 (Nanpean)	Location 4 (St Dennis)
1 st September 2017	Friday	10.9	14.8	19.2	14.7
2 nd September 2017	Saturday	10.7	13.8	17.8	10.7
3 rd September 2017	Sunday	9.7	5.4	20.5	4.8
4 th September 2017	Monday	8.8	4.2	5.1	4.6
5 th September 2017	Tuesday	11.6	17.4	31.7	14.8
6 th September 2017	Wednesday	16.2	44.5	63.5	36.5
7 th September 2017	Thursday	12.0	21.1	29.7	18.0
8 th September 2017	Friday	10.8	12.8	19.2	11.3
9 th September 2017	Saturday	11.9	18.7	25.9	15.2
10 th September 2017	Sunday	12.7	22.4	31.7	18.1
11 th September 2017	Monday	15.1	33.8	49.0	27.0
12 th September 2017	Tuesday	12.0	17.3	27.4	15.1
13 th September 2017	Wednesday	12.7	20.8	29.6	15.5
14 th September 2017	Thursday	10.4	11.8	13.9	8.5
15 th September 2017	Friday	10.7	14.6	19.0	8.2
16 th September 2017	Saturday	11.1	12.4	13.8	7.7
17 th September 2017	Sunday	10.0	14.5	18.6	7.3
18 th September 2017	Monday	14.7	11.2	14.3	5.9
19 th September 2017	Tuesday	14.6	9.0	13.7	9.1
20 th September 2017	Wednesday	10.9	8.0	11.8	7.7
21 st September 2017	Thursday	12.3	9.8	23.3	11.0
22 nd September 2017	Friday	12.1	8.5	17.7	10.1
23 ^d September 2017	Saturday	10.9	11.5	15.5	9.5
24 th September 2017	Sunday	12.5	22.5	32.5	16.2
25 th September 2017	Monday	13.7	27.4	35.1	16.1
26 th September 2017	Tuesday	13.0	21.7	31.5	14.4
27 th September 2017	Wednesday	13.2	40.4	33.3	15.0
28 th September 2017	Thursday	10.5	11.7	22.2	8.7
29 th September 2017	Friday	13.9	26.0	41.2	23.8
30 th September 2017	Saturday	10.7	11.3	17.7	10.4
1 st October 2017	Sunday	12.5	21.4	34.7	21.2
2 nd October 2017	Monday	16.6	40.5	63.4	31.5
3 rd October 2017	Tuesday	13.2	22.6	41.3	15.5
4 th October 2017	Wednesday	12.1	13.0	20.0	12.3
5 th October 2017	Thursday	11.6	17.6	21.8	9.5
6 th October 2017	Friday	11.9	17.1	24.4	14.2
7 th October 2017	Saturday	9.9	7.2	11.4	5.7
8 th October 2017	Sunday	11.1	10.8	15.9	10.7
9 th October 2017	Monday	11.5	4.6	9.1	3.0

10 th October 2017	Tuesday	10.9	8.6	12.9	13.8
11 th October 2017	Wednesday	13.6	16.9	27.2	15.5
12 th October 2017	Thursday	12.7	22.1	34.1	22.8
13 th October 2017	Friday	11.3	13.9	23.0	13.9
14 th October 2017	Saturday	11.8	20.0	26.7	16.1
15 th October 2017	Sunday	23.7	55.3	80.5	45.3
16 th October 2017	Monday	20.1	58.7	90.2	48.4
17 th October 2017	Tuesday	15.8	25.1	58.5	19.8
18 th October 2017	Wednesday	15.2	31.8	66.8	24.2
19 th October 2017	Thursday	12.4	20.0	36.2	16.2
20 th October 2017	Friday	12.8	22.4	33.0	18.0
21 st October 2017	Saturday	18.1	47.2	67.9	38.7
22 nd October 2017	Sunday	12.9	20.1	28.8	18.9
23 rd October 2017	Monday	10.0	5.1	8.6	9.6
24 th October 2017	Tuesday	11.6	15.9	24.1	13.9
25 th October 2017	Wednesday	11.0	12.6	17.1	8.0
26 th October 2017	Thursday	14.4	24.8	37.8	21.2
27 th October 2017	Friday	14.6	32.8	43.3	20.4
28 th October 2017	Saturday	11.2	12.9	20.0	7.6
29 th October 2017	Sunday	12.6	27.0	30.5	15.5
30 th October 2017	Monday	21.2	22.5	43.6	18.4
31 st October 2017	Tuesday	13.4	17.0	28.6	13.4
1 st November 2017	Wednesday	18.4	32.9	57.2	33.3
2 nd November 2017	Thursday	20.4	36.3	58.8	29.1
3 rd November 2017	Friday	20.9	99.7	68.3	35.8
4 th November 2017	Saturday	17.2	35.5	36.8	18.9
5 th November 2017	Sunday	13.4	23.4	38.2	15.8
6 th November 2017	Monday	12.3	11.3	18.0	10.7
7 th November 2017	Tuesday	11.1	16.8	19.9	9.1
8 th November 2017	Wednesday	15.8	17.4	27.4	13.6
9 th November 2017	Thursday	14.3	38.7	30.4	16.0
10 th November 2017	Friday	15.1	29.5	42.2	23.3
11 th November 2017	Saturday	12.0	17.9	25.6	8.4
12 th November 2017	Sunday	10.9	17.2	16.9	7.4
13 th November 2017	Monday	15.0	24.9	31.3	23.0
14 th November 2017	Tuesday	12.4	12.1	22.8	23.8
15 th November 2017	Wednesday	13.8	15.1	24.4	17.2
16 th November 2017	Thursday	12.1	30.5	25.1	13.6
17 th November 2017	Friday	17.2	38.9	221.4	17.2
18 th November 2017	Saturday	12.9	18.8	24.2	13.4
19 th November 2017	Sunday	16.4	15.0	23.4	18.2
20 th November 2017	Monday	15.6	16.5	23.9	20.0
21 st November 2017	Tuesday	13.2	24.2	35.1	23.1
22 nd November 2017	Wednesday	18.4	46.9	71.2	38.1
23 rd November 2017	Thursday	14.4	17.1	24.9	20.9
24 th November 2017	Friday	17.0	23.5	28.6	12.7
25 th November 2017	Saturday	11.2	35.1	14.4	9.6
26 th November 2017	Sunday	12.2	11.8	16.7	8.5
27 th November 2017	Monday	12.0	27.7	23.8	13.4
28 th November 2017	Tuesday	10.7	23.6	23.3	6.8

29 th November 2017	Wednesday	11.6	27.8	25.4	5.2
30 th November 2017	Thursday	10.7	17.4	14.4	6.6
Number in red indicates exceedence of the 24-hour (daily) mean					